POSTES PARA BARREIRAS

BELT BARRIER SYSTEM | Retractable Belt

EN	Steel barrier pole with 2 metres retractable belt and 4 ways cross connection points for belts. With Ø320mm dome base.
FR	Poteau séparateur en acier comprenant une sangle extensible de 2m avec dispositif de sécurité et un socle.
PT	Poste separador em aço com fita retráctil e 4 pontos de ligação. Base arredondada com 320mm de diâmetro. Aço e plástico.
ES	Postes separador de acero con cinta retráctil de 2m con dispositivo de seguridad y 4 puntos de conexión. Base de Ø320mm.

BARRIER POLE WITH RETRACTABLE BELT

BARRIER POLE WITH RETRACTABLE BELT

	Pantone Pole Color		Pantone Belt Color		
✻ 10.335	Yellow 1235C		Yellow 107C		x2
✻ 10.331	Orange 2027C		Orange 394C		
✻ 10.336	Red 2035C		Red 206C		
✻ 10.330	Green 323C		Green 561C		
✻ 10.421	Blue 280C		Blue 286U		
✻ 10.904	Black 6C		Black 3C		
✻ 10.340	Black 6C		Red 206C		
✻ 10.420	Grey 2162C		Grey 7537C		

INFORMATION

*mm



This Barrier Ø63mm Pole is 910mm height and it is constructed from sturdy, durable stainless steel available in 8 colors. Featuring a Ø320mm cement dome base which adds stability to the pole and 2m retractable belt (8 colors available) with security lock and built-in 4-way adaptor which expands possibilities. Easy to assemble & disassemble (for storage or transport). Ideal for higher traffic areas like lobbies, waiting areas, airports, food lines, registration offices and anywhere else you have the need to guide patrons.

POLISHED BARRIER POLE WITH RETRACTABLE BELT

INFORMATION

*mm

This Polished Stylish Barrier Ø63mm Pole is 910mm height and it is constructed from sturdy, durable stainless steel available in silver or gold color. With a Ø320mm cement dome base which adds stability to the pole and 2m retractable black belt with security lock and built-in 4-way adaptor which expands possibilities. Easy to assemble & disassemble (for storage or transport). Ideal for higher traffic areas like lobbies, airports, registration offices and anywhere else you have the need to guide patrons.



STAINLESS STEEL BARRIER POLE WITH RETRACTABLE BELT

	Pole Color	Pantone Belt Color		
10.903		Black 3C		x2

STAINLESS STEEL BARRIER POLE WITH RETRACTABLE BELT

	Pole Color	Pantone Belt Color		
10.905		Black 3C		x2

BARRIER POLE DOUBLE RETRACTABLE BELT

INFORMATION

*mm

This Barrier Ø63mm Pole is 910mm height and it is constructed from sturdy, durable stainless steel available in 3 colors blue, black or silver. With a Ø320mm cement dome base which adds stability to the pole and double 2m retractable belt built-in 4-way adaptor which expands possibilities. It is easy to assemble & disassemble (for storage or transport). Ideal for higher traffic areas like lobbies, waiting areas, airports, food lines, registration offices and anywhere else you have the need to guide patrons.



BARRIER POLE WITH DOUBLE RETRACTABLE BELT

	Pantone Pole Color		Pantone Belt Color		Size	
10.927	Black 6C		Black 3C		Ø320x910mm	x2
10.928	Blue 280C		Blue 286U		Ø320x910mm	

BARRIER POLE WITH DOUBLE RETRACTABLE BELT

	Pole Color	Pantone Belt Color		Size	
10.926		Black 3C		Ø320x910mm	x2

BARRIER POLE WITH STRIPED BELT

2m belt

INFORMATION

*mm

This Barrier Ø63mm Pole is 910mm height and it is constructed from sturdy, durable stainless steel available in red or yellow. Featuring a Ø320mm cement dome base which adds stability to the pole and 2m striped retractable belt and built-in 4-way adaptor which expands possibilities. Easy to assemble & disassemble (for storaging or transport). Ideal for areas like hangars, warehouses, factories areas, airports, work lines and any where it is necessary to protect areas or to mark zones of prohibited access.



BARRIER POLE WITH STRIPED BELT

	Pantone Pole Color	Pantone Belt Color	
13.705	Yellow 1235C	Y 108C/B 3C	x2
13.706	Red 2035C	R 185C/White	

BARRIER POLE WITH REFILLABLE PLASTIC BASE



2.1 m belt

refillable plastic base

INFORMATION

*mm

This Barrier Ø63mm Pole is 910mm height is available in red or yellow color. Featuring a refillable base which adds stability to the pole and 2100mm striped retractable belt and built-in 4-way adaptor which expands possibilities. Easy to assemble & disassemble (for storaging or transport). Ideal for areas like hangars, warehouses, factories areas, airports, work lines and any where it is necessary to protect areas or to mark zones of prohibited access.



BARRIER POLE WITH REFILLABLE PLASTIC BASE

	Pole Color	Belt Color	
80304YE			x6
80304RD			

SMALL BARRIER POLE WITH RETRACTABLE BELT

2m black belt

INFORMATION

*mm

This Barrier Ø63mm Pole of small dimensions (500mm) is constructed from sturdy, durable stainless steel available in silver or black. Featuring a Ø320mm cement dome base which adds solidity to the pole and 2m black retractable belt and built-in 4-way adaptor which expands possibilities. Easy to assemble & disassemble (for storage or transport). Ideal for dealers, museums, galleries or showrooms.



SMALL BARRIER POLE WITH RETRACTABLE BELT

	Pole Color	Pantone Belt Color	
10.370		Black 3C	x2

SMALL BARRIER POLE WITH RETRACTABLE BELT

	Pole Color	Pantone Belt Color	
10.371		Black 3C	x2

STACKABLE
BARRIER POLE WITH RETRACTABLE BELT

NEW

INFORMATION *mm

This Barrier Ø63mm Pole is 910mm height and it is constructed from sturdy, durable stainless steel available in silver or black. Featuring a Ø320mm cement dome base which adds solidity to the pole and 2m black retractable belt and built-in 4-way adaptor which expands possibilities. Easy to assemble & disassemble (for storaging or transport). Ideal for dealers, museums, galleries or for showrooms.



STACKABLE BARRIER POLE WITH RETRACTABLE BELT

	Pole Color	Belt Color	Size	
10.121			Ø320x910mm	x2

STACKABLE BARRIER POLE WITH RETRACTABLE BELT

	Pole Color	Belt Color	Size	
10.118			Ø320x910mm	x2

RETRACTABLE
BELT STANCHION WITH ROLLER

4 ways cross

1. tilt the post slightly towards to you

2. with the help of the foot, slide the base towards you

3. easy transport of the post due to its rolling base

INFORMATION *mm

This silver Barrier Ø63mm Pole is 910mm height and it features a Ø360mm base with side roller wich allows a quick and easy transport of the pole to any other place where it is used. Also it features a 2m retractable black belt built-in 4-way adaptor which expands possibilities. Easy to assemble & disassemble (for storaging). Ideal for higher traffic areas at specific times of the day like lobbies, airports, registration offices and anywhere else you have the need to guide patrons.



ROLLER BELT STANCHION

	Pole Color	Pantone Belt Color		
10.930		Black 3C		x2

ROLLER BELT STANCHION

	Pole Color	Pantone Belt Color		
10.929		Black 3C		x2

BOWL AND CONNECTOR

INFORMATION *mm

This transparent bowl is available in 2 diameters and is suitable for poles up to Ø63mm. Iideal for arranging business cards at the entrance to events, brightening queues with candy or goodies.



BOWL WITH CONNECTOR

	Bowl Diameter
✻ 10.931	Ø 200mm
✻ 10.932	Ø 300mm

SIGN BOARD



INFORMATION *mm

This 380x265mm frame features a solid support for the signage in queuing. In gold or silver color. Ideal for museums, galleries, expositions, showrooms or dealers.

*mm



SIGN BOARD FOR BARRIER POLE

	Color	Frame Size
✻ 10.916		380x265mm
✻ 10.917		380x265mm

WALL BARRIER WITH RETRACTABLE BELT

*mm



WALL BARRIER WITH RETRACTABLE BELT

	Pantone Pole Color	Pantone Belt Color	Belt Length
✻ 13.700	485C	206C	2m
✻ 13.701	Black 6C	Black 3C	2m
✻ 13.702	7549C	107C	2m
✻ 13.703	485C	R 185C/White	2m
✻ 13.704	7549C	Y108C/B 3C	2m

WALL BARRIER WITH RETRACTABLE BELT

*mm



WALL BARRIER WITH RETRACTABLE BELT

	Pantone Pole Color	Pantone Belt Color	Belt Length
✻ 13.767	Yellow/Black	Yellow/Black	3m
✻ 13.768	Yellow/Black	Yellow/Black	5m
✻ 13.769	Yellow/Black	Yellow/Black	10m

WALL MOUNTED TENSOROPE SUPPORT



INFORMATION *mm

Featuring a 2m black retractable belt and a 3-way belt adaptor. Wall receiver and screws are included.



WALL MOUNTED TENSOROPE SUPPORT

	Pole Color	Belt Color	Size
✻ 10.918			Ø63x130mm
✻ 10.975			Ø63x130mm

SPARE PARTS

INFORMATION *mm

Suitable as connector for retractable belts. Includes wall mounting hardware.



SPARE PARTS

	Size
✻ 10.918P	87mm

EN Post for lace fitted with smooth tube and base.

FR Poteau pour corde avec tube lisse et base entaillé.

PT Poste para cordão com tubo liso e base esculpida.

ES Poste para cordón con tubo liso y base entallada.

NEW

TULIP EXCELSIOR BARRIER POLE

INFORMATION

*mm

This traditional Barrier Ø50mm Pole features a royal stylish top with tulip shape. It features a 915mm high pole and it is made of a sturdy, durable stainless steel with polished chrome finish. Also, it has a Ø320mm cement dome base which adds stability to the pole and built-in 4-way ring holder. Ideal to add a touch of distinction to your controls thanks to its classic design top, so it's perfect for being used at higher traffic areas like theaters, lobbies, restaurants, airports or anywhere else you have the need to guide patrons.



TULIP EXCELSIOR BARRIER POLE

	Base	Pole	Height	
10.207	Ø 320mm	Ø 50mm	915mm	x2

CHROME ROPE BARRIER QUEUING SYSTEM

INFORMATION

*mm

This traditional Barrier Ø50mm Pole features flat or ball top. It is constructed from sturdy, durable stainless steel with polished chrome finish. With a Ø320mm cement dome base which adds stability to the pole and built-in 4-way ring holder. Ideal for higher traffic areas like theaters, lobbies, restaurants, airports or anywhere else you have the need to guide patrons.



CHROME ROPE BARRIER QUEUING SYSTEM

	Color	Base	Pole	Height	
10.908		Ø320mm	Ø50mm	910mm	x2
10.910		Ø320mm	Ø50mm	1000mm	x2

• the rope is not included

BRASS ROPE BARRIER QUEUING SYSTEM

INFORMATION

*mm

This traditional Barrier Ø50mm Pole features flat or ball top. It is constructed from sturdy, durable stainless steel with polished gold finish. With a Ø320mm cement dome base which adds stability to the pole and built-in 4-way ring holder. Ideal for higher traffic areas like theaters, lobbies, restaurants, airports or anywhere else you have the need to guide patrons.



BRASS ROPE BARRIER QUEUING SYSTEM

	Color	Base	Pole	Height	
10.909		Ø320mm	Ø50mm	910mm	x2
10.911		Ø320mm	Ø50mm	1000mm	x2

• the rope is not included

ROPE BARRIER QUEUING SYSTEM WITH LANDSCAPE FRAME

INFORMATION *mm

This traditional Barrier Ø50mm Pole is 1300mm height and it is constructed from sturdy, durable stainless steel with polished chrome or gold finish. It features a landscape format 420x320mm frame for displaying information signages. With a Ø320mm cement dome base which adds stability to the pole and built-in 4-way ring holder. Ideal for theaters, lobbies, hotels, airports or anywhere else where you need to show information or the schedule of the event.



ROPE BARRIER QUEUING SYSTEM WITH FRAME

	Color	Base	Pole	Height	Frame Size	
10.914		Ø320mm	Ø50mm	1300mm	420x320mm	x2
10.915		Ø320mm	Ø50mm	1300mm	420x320mm	x2

ROPE BARRIER QUEUING SYSTEM WITH PORTRAIT FRAME

INFORMATION *mm

This traditional Barrier Ø50mm Pole is 1440mm height and it is constructed from sturdy, durable stainless steel with polished chrome or gold finish. It features a portrait format 320x420mm frame for displaying information signages. With a Ø320mm cement dome base which adds stability to the pole and built-in 4-way ring holder. Ideal for theaters, lobbies, hotels, airports or anywhere else where you need to show information or the schedule of the event.



ROPE BARRIER QUEUING SYSTEM WITH FRAME

	Color	Base	Pole	Height	Frame Size	
10.912		Ø320mm	Ø50mm	1440mm	320x420mm	x2
10.913		Ø320mm	Ø50mm	1440mm	320x420mm	x2

stainless steel

1200mm CHROME BARS FOR ROPE BARRIER

tube: Ø 20mm

ideal for terraces, banks or hotels.

example with graphic

INFORMATION *mm



These bars for barrier systems are made of stainless steel with a chrome finish. They have a total length of 1200mm. Ideal for supporting and displaying graphics.

CHROME BARS FOR ROPE BARRIER

	Color	Length	Tube
✻10.990		1200mm	Ø 20mm

simple and fast assemble



Ø100mm CHROME RING FOR ROPE BARRIER

stainless steel

ring: Ø 100mm

INFORMATION *mm

This Ø100mm Ring for barrier system is made of stainless steel with a chrome finish. With a 4-way design, this ring holder is ideal for being used with ropes at higher traffic areas like theaters, lobbies, restaurants or at the airports.



CHROME RING FOR ROPE BARRIER

	Color	Ring Diameter
✻10.991		Ø 100mm

EN Ropes for barrier poles.
FR Cordes pour Poteau
PT Cordões para postes.
ES Cordones para postes.

ROPES

VELOUR FINISH + SILVER HOOK

	Pantone Rope Color		End	Length	Diameter
10.919	2035C			1500mm	Ø32mm
10.920	Black 6C			1500mm	Ø32mm
13.760	281C			1500mm	Ø32mm

VELOUR FINISH + GOLDEN HOOK

	Pantone Rope Color		End	Length	Diameter
10.921	2035C			1500mm	Ø32mm
10.922	Black 6C			1500mm	Ø32mm
13.761	281C			1500mm	Ø32mm

BRAIDED FINISH + SILVER HOOK

	Pantone Rope Color		End	Length	Diameter
10.923	294C			1500m	Ø32mm
10.977	WHITE			1500m	Ø32mm
13.762	198C			1500m	Ø32mm
13.764	BLACK			1500m	Ø32mm
13.766	WHITE + 198C			1500m	Ø32mm

BRAIDED FINISH + GOLDEN HOOK

	Pantone Rope Color		End	Length	Diameter
10.925	294C			1500m	Ø32mm
10.976	WHITE			1500m	Ø32mm
10.924	198C			1500m	Ø32mm
13.763	BLACK			1500m	Ø32mm
13.765	WHITE + 198C			1500m	Ø32mm

INFORMATION

*mm

This metallic hanger are suitable for wall mounting. Featuring 2 colors available (Silver or Gold). Ideal for being used with ropes at theaters, restaurants, events or at the airports.



WALL HANGER

	Finish	Size
13.446		40x50x37mm
13.447		40x50x37mm

WALL HANGER FOR ROPES

LIGHTWEIGHT **BARRIER POST**



INFORMATION

These lightweight design poles come with 4-way and 2-way connecting ring. Various colors and finishes available. Ideal for areas like work lines and anywhere it is necessary to protect areas or to mark zones of prohibited or renewed access.

LIGHTWEIGHT BARRIER POST

	Color	Pole	Top	Height
0489001		Ø 50mm	Ø 30mm	900mm
0489002		Ø 50mm	Ø 30mm	900mm
0489003		Ø 50mm	Ø 30mm	900mm
0489004		Ø 40mm	Ø 40mm	800mm

WATER **BASE** - RUBBER **BASE**



INFORMATION

These bases are the best complement for light barrier posts, there are two different models, one made of plastic and refillable with 4l of water. The other one is manufactured in rubber and with dimensions of 270x270mm.

BASES

	Size
0489005	Square - 270x270mm
0489006	Round - Ø300mm

FLEXIBLE **BOLLARD**

INFORMATION

This flexible bollard is suitable for mounting on any surface. It is made of polyurethane and has a reflective band to improve its visibility. Thanks to its flexibility, this bollard always recovers its initial position once it has been hit.

FLEXIBLE BOLLARD

	Height	flex
80.302	750mm	

PORTABLE **POST**



INFORMATION

These portable post features a 6kg rubber base. It has a highly visible reflective band and it is suitable for tape or chain. Ideal for work lines and anywhere it is necessary to protect areas or to mark zones of prohibited or renewed access.

FLEXIBLE BOLLARD

	Height
80.301	1100mm

REFLECTIVE CONE

one piece polyethylene cone

INFORMATION

This cone is made of polyethylene and features a 110mm reflective band.

CONES

	Color	Height	Base	Weight	
4761002		300mm	220x220mm	0.25kg	x10

REFLECTIVE CONES WITH RUBBER BASE

made of polyethylene

INFORMATION

These cones are made of polyethylene and feature an horizontal highly visible reflective band. 3 sizes are available.

REF 80.513 REF 80.512 REF 80.511

REFLECTIVE CONES WITH RUBBER BASE

	Color	Height	Base	Base Weight
80.513		500mm	280x280mm	1.5kg
80.512		750mm	380x380mm	2.5kg
80.511		1000mm	490x490mm	5.0kg

COLLAPSIBLE CONES WITH REFLECTIVE COLLARS

3 sizes available

INFORMATION

These Collapsible cones are made of nylon and feature a base of ABS. 2 reflective bands are included. 3 sizes available.

REF 80.501 REF 80.502 REF 80.503

COLLAPSIBLE CONES WITH REFLECTIVE COLLARS

	Color	Height	Base	Base Weight
80.501		400mm	243x243mm	0.55kg
80.502		500mm	243x243mm	0.55kg
80.503		700mm	340x340mm	0.95kg

CAUTION CONE

INFORMATION

These Caution Cones are made of polypropylene with yellow finish. 2 models available, with slippery floor prevention signage or without it.

REF 80.604 REF 80.603

CAUTION CONE

	Base	Height	Weight
80.603	280x280mm	670mm	1.1kg
80.604	280x280mm	670mm	1.1kg

CAUTION "A" BOARD

INFORMATION

The Caution "A" Board is made of polypropylene with yellow finish. 2 models available, with slippery floor prevention signage or without it.

REF 80.602 REF 80.601

CAUTION "A" BOARD

	Size	Weight
✻ 80.601	250x300x620mm	0.6kg
✻ 80.602	250x300x620mm	0.6kg

PLASTIC CHAIN



INFORMATION

These 25m chains are made of polyethylene. 2 widths and 3 colors available.

PLASTIC CHAIN

	Color	Width	Length
0489011		5mm	25m
0489012		5mm	25m
0489008		8mm	25m
0489009		8mm	25m
0489010		8mm	25m

TAPE SIGNALLING

INFORMATION

These 200m length tapes are 80mm width. 2 colors available (black/yellow striped or red/white striped). Ideal to mark zones of prohibited or renewed access.

WARNING TAPES

	Color	Width	Length	
0479001		80mm	200m	x5
0479004		80mm	200m	

CHAIN CONNECTORS

INFORMATION

These chain connectors are made of white plastic and there are 2 sizes available. They are ideal for being used with chains and cones or with poles.

CHAIN CONNECTORS

	Width	
0489015	5mm	x25
0489014	8mm	

BARRIER POST - CONE TOPS

INFORMATION

These Tops are suitable for being used with chains and posts or cones. 2 colors.

BARRIER POST-CONE TOPS

	Colors	
0489024		x10

CONE TOPPER WITH RETRACTABLE BELT

INFORMATION

This cone topper is suitable for cones above 3kg weight. It features a 3m length and retractable red/white striped belt. Ideal to mark zones of prohibited or renewed access.

CONE TOPPER WITH RETRACTABLE BELT

	Belt Length
80.516	3m

FLASHLIGHT FOR TRAFFIC CONES

INFORMATION

This cone topper is ideal to improve the visibility of cones. It has a diameter of Ø20mm. Ideal for signalling areas delimited by cones in low light conditions.

FLASHLIGHT FOR TRAFFIC CONES

	Diameter
80.504	8mm

STOP/GO **SIGN PADDLE**

INFORMATION

This Sign is double-sided. One side has the "Stop" sign and the other one has the "one-way traffic" sign.

STOP/GO SIGN PADDLE

	Size	
0080011	590x300mm	x3

RED TRAFFIC **BATON**



INFORMATION

This LED baton features 3 operation modes: flashing light, steady light and off. It is ideal for traffic signaging.

RED TRAFFIC BATON

	Length	Diameter
80.704	540mm	Ø40mm

FLASHING **LAMPS**

INFORMATION

These LED flashing lamps are available in 2 colors. They are ideal to mark zones of prohibited access.

FLASHING LAMPS

	Color	LED Quantity	
80.709		2 LEDs	x12
80.710		2 LEDs	x12

REFLECTIVE SIGN **WITH HOOK**

Ø 60mm
reflective circle

INFORMATION

This sign is made of yellow plastic and it features a Ø60mm red reflective circle and a hook for poles. it is ideal to mark zones and for traffic signaging.

REFLECTIVE SIGN WITH HOOK

	Size
0489016	140x105mm

REAR REFLECTIVE PANEL **FOR PROTRUDING LOADS**

INFORMATION

This rear and reflective 500x500mm panel is suitable and perfect for protruding loads. Red and white striped.

REAR REFLECTIVE PANEL FOR PROTRUDING LOADS

	Size
00530001	500x500mm

MIRROR **SUPPORTS**



INFORMATION

These mirror supports have 2 sizes. One model is suitable for wall mounting, and the other one for wall or pole mounting.

MIRROR SUPPORTS

	Mirror Size
80.104	for Ø800mm to Wall
80.124	for Ø450mm and Ø600mm to Wall or Pole

OUTDOOR MIRROR

INFORMATION

This outdoor mirror has a top cover and an adjustable viewing angle of 130°. For tubes with a min. diameter of Ø50mm (ref 80.121) or Ø70mm (ref.80.101).

hardware and anchorage included

OUTDOOR MIRROR

	Mirror Diameter	Size
80.101	Ø800mm	850x860x140mm
80.121	Ø600mm	620x630x110mm

REFLECTIVE MIRROR

INFORMATION

This reflective mirror has a polycarbonate lens an adjustable bending angle of 130°. With red and white striped reflective bands all around the mirror.

hardware and anchorage included

REFLECTIVE MIRROR

	Mirror Diameter	Size
80.103	Ø800mm	900x900x120mm
80.123	Ø600mm	670x670x120mm

INDOOR MIRROR

INFORMATION

This Indoor mirror has a lens made of polycarbonate. With adjustable bending angle of 130°. High impact resistance.



fixing screws included

INDOOR MIRROR

	Mirror Diameter	Size
80.102	Ø800mm	850x850x130mm
80.122	Ø600mm	630x630x90mm
80.131	Ø450mm	480x480x80mm
80.141	Ø300mm	340x340x60mm

360° MIRROR

INFORMATION

This mirror has a lens made of polycarbonate with 4 direction control and 360° angle (adjustable). High impact resistance.

fixing screws included

360° MIRROR

	Mirror Diameter	Size
80.111	Ø650mm	730x730x400mm
80.132	Ø450mm	540x540x320mm

180° MIRROR

INFORMATION

This mirror has a lens made of polycarbonate and 3 directions control with an adjustable bending angle of 180°. It has a high impact resistance.

fixing screws included

180° MIRROR

	Mirror Diameter	Size
80.112	Ø650mm	730x420x380mm
80.133	Ø450mm	540x350x300mm

90° MIRROR

INFORMATION

This mirror has a lens made of polycarbonate and 2 directions control and an adjustable bending angle of 90°. With a high impact resistance.

fixing screws included



90° MIRROR

	Mirror Diameter	Size
80.113	Ø650mm	400x400x400mm
80.134	Ø450mm	300x300x320mm

RESTRICT ACCESS TO PARKING SPACES

INFORMATION

Manual folding parking lock with padlock. Robust system of great resistance thanks to its three points of anchorage. Ideal for restring access to parking spaces.

RESTRICT ACCESS TO PARKING SPACES

	Size	
0080010	400x720mm	

PARKING SPACE PROTECTOR

with lock

INFORMATION

This parking folding post is made of steel, Finish with yellow UV resistant paint for better visibility and durability.. Easy to use and assembly. It features lock and keys (included). Ideal for restricting access to the parking spaces.

PARKING SPACE PROTECTOR

	Size	Tube Diameter	
✻ 80.401	610x175x100mm	Ø60mm	

SMALL WHEEL STOP

• fixing screws are not included

INFORMATION

This wheels rubber stopper allows the parking of the vehicle without exceeding the limit of the space. Easy assembly by fixing with screws (not included).

SMALL WHEEL STOP

	Size
80.421	500x160x100mm

LARGE WHEEL STOP

• fixing screws are not included

INFORMATION

This wheels rubber stopper allows the parking without exceeding the limit of the space. It can be used as a rail separator. Easy assembly by screws (not included).

LARGE WHEEL STOP

	Size
80.427	2000x150x100mm

WALL GUARD

INFORMATION

This wall guard is designed to protect the vehicle and the wall. Made of black rubber with yellow reflective band. The protector is easy and quick to mount to wall by fixing with 3 screws.

WALL GUARD

	Size
80.426	1000x160x50mm

METALLIC RAWLPLUG AND SCREW

INFORMATION

This screw made of metal and designed with expansion fit is ideal for solid materials such as walls or concrete floors. Perfect for fixing wheel stoppers or parking accessories.

METALLIC RAWLPLUG AND SCREW

	Length
80.611	50mm
80.613	70mm
80.614	90mm

STRAIGHT CORNER GUARD

INFORMATION

This straight corner is 800mm high and it is ideal for the protection of right angle corners that are prone to receive blows. It has 3 perforated on each side. Made of high strength rubber and yellow reflective vinyl for an improved visibility.

STRAIGHT CORNER GUARD

	Size
80.411	800x100x10mm

ROUNDED CORNER GUARD

INFORMATION

This straight corner is 800mm high and it is ideal for the protection of right angle corners. Featuring rounded angle. It has 3 perforated on each side. Made of high strength rubber and yellow reflective vinyl for an improved visibility.

ROUNDED CORNER GUARD

	Size
80.412	800x120x20mm

RUBBER RAMP MODULAR

INFORMATION

This Modular Ramp is 600mm wide and it is ideal for saving curbs and small slopes at parking entrances, garages, etc. The Modular Ramp is made of high strength black rubber and it is designed to support up to 5 tons of weight.

MODULAR RUBBER RAMP

	Size
80.424	600x250x100mm

RUBBER RAMP ENDCAP

INFORMATION

This Endcap Ramp has a dimension of 250x250mm and it is ideal for being used with Modular Ramp. Endcap is made of high strength black rubber and it is designed to support up to 5 tons of weight.

ENDCAP RUBBER RAMP

	Size
80.425	250x250x100mm

RUBBER CABLE AND HOSE PROTECTOR



INFORMATION

Rubber protector with plastic cover, features 5 channels for cable up to 42mm. It supports up to 10 tons. Ideal for events, fairs, works, etc.

STRAIGHT RUBBER CABLE

	Size
80.422	900x500x55mm

INFORMATION

Rubber 22.5° corner with plastic cover, features 5 channels for cable up to 42mm. It supports up to 10 tons. Ideal for events, fairs, works, etc.

22,5° CORNER RUBBER CABLE

	Size
80.423	310x500x55mm



INFORMATION

Rubber protector with plastic cover, features 2 channels for cable up to 90mm. It supports up to 40 tons. Ideal for events, fairs, works, etc.

HOSE PROTECTOR

	Size
80.428	900x615x105mm

CABLE PROTECTOR **PLASTIC**

40x13mm channel

INFORMATION

Protector made of polyurethane with a cable channel of 40x13mm. Simple installation through "L" connections, without tools. Supports up to 1.5 tons. Ideal as an economic solution, ideal for shopping centers, construction areas, garages ...

PLASTIC CABLE PROTECTOR

	Size	Channel Size
80.429	1000x140x20mm	40x13mm

PORTABLE **SPEED BUMP**

carrying bag included

INFORMATION

Easy installation, can be folded in seconds to be able to transport it to another place. Made of polyurethane, supports up to 20 tons. Includes transport bag.

PORTABLE SPEED BUMP

	Size
80.417	3000x250x25mm

SPEED BUMP **35mm HEIGHT**

durable rubber

INFORMATION

Black rubber Reducer Stand-alone 500mm piece. Resistance to humidity and high temperatures.

35mm HEIGHT BLACK BUMP

	Size
80.413N	500x250x35mm

INFORMATION

Yellow rubber Reducer Stand-alone 500mm piece. Resistance to humidity and high temperatures.

35mm HEIGHT YELLOW BUMP

	Size
80.413A	500x250x35mm

INFORMATION

Black corner rubber Reducer Stand-alone piece. Resistance to humidity and high temperatures.

35mm HEIGHT ENDCAP

	Size
80.414	250x250x35mm

SPEED BUMP **50mm HEIGHT**

with cat's-eye reflectors

durable rubber

INFORMATION

This speed bump is made of rubber and includes 4 cat's eye reflectors for a better visibility. Great resistance to humidity and high temperatures.

50mm HEIGHT SPEED BUMP

	Size
80.415	500x350x50mm

INFORMATION

Black corner rubber Reducer Stand-alone piece. Resistance to humidity and high temperatures. Ideal for being used with Speed Bump ref 80.415.

50mm HEIGHT ENDCAP

	Size
80.416	250x350x50mm

made of durable rubber



• fixing screws are not included

SPEED HUMP 30mm HEIGHT

• fixing screws are not included

INFORMATION

This 30mm high speed hump is made of durable rubber. Easy assembly by fixing with screws (not included). Great resistance to humidity and high temperatures.

30mm HEIGHT SPEED HUMP

	Size
80.418	500x600x30mm

INFORMATION

This 30mm high speed hump End is made of durable rubber. Easy assembly by fixing with screws (not included). Great resistance to humidity and high temperatures.

30mm HEIGHT ENDCUP

	Size
80.419	225x600x30mm

made of durable rubber

• fixing screws are not included

SPEED HUMP 50mm HEIGHT

• fixing screws are not included

INFORMATION

This 50mm high speed hump is made of durable rubber. Easy assembly by fixing with screws (not included). Great resistance to humidity and high temperatures.

50mm HEIGHT SPEED HUMP

	Size
80.431	500x600x50mm

INFORMATION

This 50mm high speed hump End is made of durable rubber. Easy assembly by fixing with screws (not included). Great resistance to humidity and high temperatures.

50mm HEIGHT ENDCUP

	Size
80.432	225x600x50mm

	EN	PT
	Carry bag included	Bolsa de transporte incluída
	One sided	Uma face
	Double-sided	Dupla face
	With motion	Com movimento
	With light	Com luz
LED	Led tecnology	Tecnologia led
	Telescopic	Telescópico
TEXTILE	Printed on textil	Impressão textil
	With lock	Com fechadura
	Rainproof	Impermeável
	For outdoor use	Para exterior
	With spotlights	Com focos
ADH	With adhesive	Com adesivo
	Cardboard	Cartão
	With suction pad	Com ventosa
NEW	New item	Novidade
	Lineweight	Peso extra
RESIST	Extraweight	Leve
flex	Flexible	Flexível
	Magnetic	Magnético
	Plug-in	Eléctrico
LARGE	Big sizes	De grandes dimensões
	Portrait	Vertical
	Landscape	Horizontal
	Portrait or landscape	Vertical ou horizontal
click	'Click' system	Sistema 'click'
Magic Tape	With 'magic tape'	Com 'magic tape'
acrylic	Acrylic	Acrílico
	Economic	Económico
	Tools required	Ferramentas necessárias
	No tools required	Ferramentas não necessárias
L	Capacity	Capacidade
	Request price for large quantity	Desconto por quantidade sob consulta
QTY	Quantity	Quantidade
NW	Net weight	Peso líquido
GW	Gross weight	Peso bruto
CBM	Cubic meter	Metro cúbico
Size	Measures	Medidas

1	VISUAL COMMUNICATION	COMUNICAÇÃO VISUAL
2	CARDBOARD	CARTÃO
3	EXHIBITION SOLUTIONS	SOLUÇÕES DE EXIBIÇÃO
4	CLICK FRAMES AND BROCHURE STANDS	MOLDURAS CLICK E SUPORTES DE BROCHURAS
5	OUTDOOR EVENTS	EVENTOS EXTERIORES
6	CABLE KIT	SISTEMAS DE CABO DE AÇO
7	BOARDS AND SHOWCASES	QUADROS E VITRINAS
8	ACRYLIC DISPLAYS	DISPLAYS DE ACRÍLICO
9	BARRIER POLES	POSTES PARA BARREIRAS
10	PLV	PONTOS DE VENDA
11	SIGNS	SINALÉTICA
12	SIGN ACCESSORIES	ACESSÓRIOS PARA SINALÉTICA

Visite o nosso site!
Visit our website.

COMUNICAÇÃO VISUAL . CARTÃO . SOLUÇÕES DE EXIBIÇÃO . MOLDURAS CLICK E SUPORTES PARA BROCCHURAS . EVENTOS NO EXTERIOR . SISTEMAS EM CABO DE AÇO . QUADROS E VITRINES . DISPLAYS EM ACRÍLICO . POSTES PARA BARREIRAS . PONTO DE VENDA . SINALÉTICA . ACESSÓRIOS PARA SINALÉTICA

VISUAL COMMUNICATION . CARDBOARD . EXHIBITION SOLUTIONS . CLICK FRAMES AND BROCHURE STANDS . OUTDOOR EVENTS . CABLE KIT . BOARDS AND SHOWCASES . ACRYLIC DISPLAYS . BARRIER POLES . PLV . SIGNS . SIGN ACCESSORIES

BANG DISPLAY display solutions

Spart CREATIVE DESIGN STUDIO

Rua Ribeira do Troca, Zona Industrial da Paiã,
Arm. 12B, 1675-086 Pontinha - PORTUGAL
+351 212 840 789 _ info@spart.pt

© 2018.Spart - Creative Design studio
Todos osdireitos reservados.
All rights reservated.

Preços válidos, salvo erros topográficos.
Preços sujeitos a alteração sem aviso prévio.
A reprodução parcial ou integral desta brochura é proibida.

www.spart.pt